

FISH PUMPING



// DUNLOP HIFLEX FOR FISH PUMPING APPLICATIONS

Specifically designed for the fishing Industry, the fish pump hose is the ideal solution for high speed fish transfer from net to ship deck, without damage.

Sea water, fat and abrasion resistance ensures maximum efficiency when used continuously during fishing operations, in all weather conditions.

DUNLOP HIFLEX offer the best solution for the power transmission to operate the hydraulic system:

POWERFLEXBIO 4000 TUFLEX range ensures extreme flexibility and full bio oil compatibility.

The TUFLEX cover, provides the highest levels of protection, preventing abrasion issues in this harsh working environment.

// HOSES

// 949AA



Fish pump 3 bar (45 psi)

Tube: black NBR - oil, abrasion and sea water resistant.

Reinforcement: high tensile textile cords.

Cover: black conductive CR - oil, abrasion, ozone and sea water resistant.

Application: fish transfer from fishing net to ship deck.

Constant operation: -30 °C +80 °C (-22 °F +176 °F)

Art. no	Product code	↔		↔		↻		↻		⬆		↔
		mm	in	mm	in	bar	psi	bar	psi	kg/m	lb/ft	
2003696	949AA254	254,0	10"	262,00	10,31	3	45	10	150	4,800	3,23	61
2004315	949AA305	305,0	12"	313,00	12,32	3	45	10	150	5,740	3,86	61
2004316	949AA355	355,0	14"	367,00	14,45	3	45	10	150	9,020	6,07	61
2004317	949AA406	406,0	16"	418,00	16,46	3	45	10	150	10,890	7,32	61
2004318	949AA457	457,0	18"	469,00	18,46	3	45	10	150	12,380	8,32	61
2013195	949AA508	508,0	20"	522,00	20,55	3	45	10	150	14,330	9,64	61

// POWERFLEXBIO 4000 - TUFLEX



* Available on request with TUFLEX or HI-TUFF cover

Notes: also available with HI-TUFF cover (item code 1002799 for ø 38 mm and item code 1002491 for ø 51 mm)

ISO 18752

Tube: oil resistant synthetic rubber and biodegradable hydraulic fluids.

Reinforcement: four high tensile steel spirals.

Cover: abrasion, ozone and hydrocarbon resistant synthetic rubber. Special "TUFLEX" cover for excellent abrasion resistance and long service life in heavy duty applications.

MSHA APPROVED

Application: developed to withstand very demanding conditions, very high performance in pressure, pulsing and flexing.

Constant operation: -40 °C +121 °C (-40 °F +250 °F)

Length: random up to 1" - 61 m max over 1"1/4

Art. no	Best. no	↔			↔		↻		↻		⌒		⬆	
		Dash	mm	in	mm	in	Mpa	psi	Mpa	psi	mm	in	kg/m	lb/ft
*		12	19,0	3/4"	29,50	1,16	28,0	4000	112,0	16000	120,0	4,72	1,019	0,69
*		16	25,0	1"	37,50	1,48	28,0	4000	112,0	16000	150,0	5,91	1,637	1,11
*		20	32,0	1 1/4"	46,40	1,83	28,0	4000	112,0	16000	260,0	10,24	2,264	1,53
1003701	PFBX4024	24	38,0	1 1/2"	51,80	2,04	29,0	4200	116,0	16800	420,0	16,54	2,864	1,93
1003703	PFBX4032	32	51,0	2"	67,60	2,66	28,0	4000	112,0	16000	630,0	24,80	4,475	3,01

// FITTINGS



// FISH PUMP HOSE FITTINGS

We also offer a specific range of couplings used in Fish Pump hose Applications. The range of fittings in aluminum also include reductions, elbows, swivels and hose clamps.

Our fittings for fish pump hose are interchangeable with other well-known brands on the market.



// INTERLOCK FITTINGS

For reliability and performance on the POWERFLEXBIO 4000 TUFLEX, we use our INTERLOCK hose coupling system.

INTERLOCK fittings are stocked in BSP, JIC, METRIC and SAE connections. The INTERLOCK range from Dunlop Hiflex, as with all other steel components, is surface treated with DUNLOP HIFLEX Top Coat.

// TOP COAT TREATMENT



// DUNLOP HIFLEX TOP COAT (DTC)

Our hydraulic fittings, adapters and quick couplings have a brand new surface treatment; Dunlop Hiflex Top Coat (DTC).

DTC is tested in accordance with ASTM B117-03 and UNI ISO 9227 standards, and ensures over 500 hours corrosion prevention in salt spray fog to white rust, and over 1000 hours to red rust. DTC is Chromium(VI)-free.

// DUNLOP HIFLEX IN NORDIC AND BALTIC COUNTRIES

// FINLAND

Jasperintie 320
33960 **Pirkkala**
Tel +358 (0) 207 625 600
Fax +358 (0) 207 625 603
info@dunlophiflex.fi
www.dunlophiflex.fi

Hämeenlinna
+358 (0) 207 625 740
hameenlinna@dunlophiflex.fi

Imatra
+358 (0) 207 625 750
imatra@dunlophiflex.fi

Joensuu
+358 (0) 207 625 760
joensuu@dunlophiflex.fi

Jyväskylä
+358 (0) 207 625 770
jyvaskyla@dunlophiflex.fi

Kotka
+358 (0) 207 625 780
kotka@dunlophiflex.fi

Kouvola
+358 (0) 207 625 790
kouvola@dunlophiflex.fi

Lahti
+358 (0) 207 625 840
lahti@dunlophiflex.fi

Mikkeli
+358 (0) 207 625 850
mikkeli@dunlophiflex.fi

Pirkkala
+358 (0) 207 625 700
pirkkala@dunlophiflex.fi

Pori
+358 (0) 207 625 880
pori@dunlophiflex.fi

Rovaniemi
+358 (0) 207 625 890
rovaniemi@dunlophiflex.fi

Turku
+358 (0) 207 625 800
turku@dunlophiflex.fi

Vantaa Tikkurilantie
+358 (0) 207 625 690
vantaa@dunlophiflex.fi

Vantaa Tiilenpolttajankuja
+358 (0) 207 625 660
vantaa@dunlophiflex.fi

// ESTONIA

Läike tee 32/1
Peetri alevik, Rae vald
75312 Harjumaa (**Tallinn**)
Tel: +372 (0) 605 4900
tallinn@dunlophiflex.ee

Tallinna
+372 (0) 605 4900
tallinn@dunlophiflex.ee

Tartu
+372 (0) 734 1301
tartu@dunlophiflex.ee

// SWEDEN

Kistinge industriområde
Seldonsvägen 2, Box 536
301 80 **Halmstad**
Tel +46 (0) 104 14 44 00
Fax +46 (0) 104 14 44 07
info@dunlophiflex.se
www.dunlophiflex.se

Borlänge
+46 (0) 104 14 46 00
borlange@dunlophiflex.se

Göteborg
+46 (0) 104 14 45 40
goteborg@dunlophiflex.se

Halmstad
+46 (0) 104 14 44 04
halmstad@dunlophiflex.se

Malmö
+46 (0) 104 14 45 00
malmo@dunlophiflex.se

Norrköping
+46 (0) 104 14 45 70
norrkoping@dunlophiflex.se

Örebro
+46 (0) 104 14 45 50
orebro@dunlophiflex.se

Östersund
+46 (0) 104 14 46 10
ostersund@dunlophiflex.se

Stockholm
+46 (0) 104 14 45 80
stockholm@dunlophiflex.se

Växjö
+46 (0) 104 14 45 10
vaxjo@dunlophiflex.se

// NORWAY

Stansevien 27
Pb. 174 Kalbakken
0903 **Oslo**
Tel +47 23 00 47 00
Fax 23 00 47 49
post@dunlophiflex.no
www.dunlophiflex.no

Ålesund
+47 (0) 23 00 47 80
alesund@dunlophiflex.no

Bergen
+47 (0) 23 00 47 70
bergen@dunlophiflex.no

Floro
+47 (0) 23 00 48 30
floro@dunlophiflex.no

Harstad
+47 (0) 23 00 48 10
harstad@dunlophiflex.no

Kristiansand
+47 (0) 23 00 47 50
kristiansand@dunlophiflex.no

Kristiansund
+47 (0) 23 00 47 90
kristiansund@dunlophiflex.no

Oslo
+47 (0) 23 00 47 00
oslo@dunlophiflex.no

Stavanger
+47 (0) 23 00 47 60
stavanger@dunlophiflex.no

Tromsø
+47 (0) 23 00 48 20
tromso@dunlophiflex.no

Trondheim
+47 (0) 23 00 48 00
trondheim@dunlophiflex.no

// DENMARK

Vallensbækvej 24
2605 **Brøndby**
Tel +45 (0) 43 25 40 00
Fax +45 (0) 43 25 41 90
info@dunlophiflex.dk
www.dunlophiflex.dk

Aalborg
+45 (0) 43 25 40 70
aalborg@dunlophiflex.dk

Århus
+45 (0) 43 25 40 60
arhus@dunlophiflex.dk

Brøndby
+45 (0) 43 25 40 20
brondby@dunlophiflex.dk

Esbjerg
+45 (0) 43 25 40 50
esbjerg@dunlophiflex.dk

Kolding
+45 (0) 43 25 40 30
kolding@dunlophiflex.dk

Odense
+45 (0) 43 25 40 40
odense@dunlophiflex.dk



SCANDINAVIAN HEADQUARTER

Dunlop Hilflex AB

Kistinge Industriområde, Seldonsvägen 2, Box 536
301 80 Halmstad (Sweden)
Tel +46 (0) 104 14 44 00 – Fax +46 (0) 104 14 44 07
info@dunlophiflex.se – www.dunlophiflex.se